```
==== Screen Brightness Slider =====
App Theme
       <u>Light</u> – <u>Dark</u> – <u>System</u>
       Light Settings
              App Color:
                     Light
                     Dark
              Aeronautical Map Theme:
                     Classic
                     <u>Light</u>
                     Dark
              Invert Plates: ON/OFF
              Invert Charts: ON/OFF
              Invert Documents: ON/OFF
              Jeppesen Map Theme:
                     Light
                     Dark
       Dark Settings
              App Color:
                     Dark
                     Light
              Aeronautical Map Theme:
                     Classic
                     Light
                     Dark
              Invert Plates: ON/OFF
              Invert Charts: ON/OFF
              Invert Documents: ON/OFF
              Jeppesen Map Theme:
                     Light
                     Dark
Airport View
       Show Weather First: ON/OFF
Weather View
       Past TAF Translations: ON/OFF
Route View
       Airway Decoding:
              All Waypoints Shown
              Bends Only
       Airway Entry/Exit:
              Any Waypoint
              Radio Navaids Only
```

Map View

Auto Center Mode:

North Up

Track Up, Centered

Track Up, Forward

Auto Center Deactivate:

Automatic

Manual

Extended Centerlines: ON/OFF

Ownship Marker:

Color (choose)

Shape (choose)

Ownship distance Rings: ON/OFF

Ownship Distance Rings Style:

Automatic (Nautical Miles)

5, 10, 25 Nautical Miles

10, 20, 50 Nautical Miles

20, 40, 100 Nautical Miles

Automatic Kilometers

<u>5, 10, 25 Kilometers</u>

10, 20 50 Kilometers

20, 40, 100 Kilometers

Automatic (Time)

5, 10, 30 Minutes

10, 20, 60 Minutes

Track Vector: ON/OFF

Track Vector Length:

15 Seconds

30 Seconds

45 Seconds

60 Seconds

2 Minutes

5 Minutes

10 Minutes

½ Nautical Mile

1 Nautical Mile

2 Nautical Miles

5 Nautical Miles

10 Nautical Miles

25 Nautical Miles

50 Nautical Miles

Route Labels: ON/OFF

Hazards

```
Activation Speed:
               No Minimum Speed
               10 kts
               20 kts
               30 kts
               40 kts
               50 kts
               60 kts
               70 kts
               80 kts
               90 kts
               100 kts
               120 kts
               140 kts
       Hazard Altitudes:
               Normal 100'/1000'
               Heli Normal: 50'300'
               Heli Medium: 25'/200'
               Heli – Low: 25′/100′
       Corridor Activation:
               Automatic
               Show
               Hide
       Corridor Width:
               1/2 Nautical Mile
               1 Nautical Mile
               2 Nautical Miles
               4 Nautical Miles
               5 Nautical Miles
               6 Nautical Miles
               8 Nautical Miles
               10 Nautical Miles
               20 Nautical Miles
               40 Nautical Miles
               50 Nautical Miles
               100 Nautical Miles
Map Touch Action:
       No Action
       Bring chart to front
       Bring chart to front with legends
Cockpit Sharing: ON/OFF
Show Annotations on Map: ON/OFF
Auto-Receive Panel Flight Plans: ON/OFF
Four-color Radar: ON/OFF
Internet Radar Coverage: ON/OFF
Breadcrumbs: ON/OFF
```

```
Breadcrumbs Clear After:
            15 Minutes
            30 Minutes
            1 Hour
            2 Hours
            4 Hours
      Show Map Legend: ON/OFF
      Marked Positions: ON/OFF
      Quick Filters: ON/OFF
Layer Selector
      Multiple Selections: ON/OFF
      Auto-Zoom to Custom Content: ON/OFF
Annotations
      Show Control on Map: ON/OFF
      Auto Apple Pencil Drawing: ON/OFF
      Annotations Timeout:
            5 Seconds
            10 Seconds
            20 Seconds
Checklist
      Speak:
            Challenge Only
            Challenge & Response
Plates and Documents Views
      Lock Disables Buttons: ON/OFF
Traffic
      Hide Distant Traffic (ADS-B / FLARM): ON/OFF
      Traffic Breadcrumbs (ADS-B / FLARM): ON/OFF
Search and Rescue
      SAR Features: ON/OFF
      SAR Waypoints as Lat/Long: ON/OFF
Downloads
      Background Downloads: ON/OFF
      Allow Downloads over Cellular: ON/OFF
      Automatic Downloads: ON/OFF
Pack
      Enable Auto-Check: ON/OFF
Track Log
      Enable Start/Stop Control: ON/OFF
```

```
Enable Auto Start/Stop: ON/OFF
Flights
       Briefing Format:
              Graphical (HTML)
              Graphical (PDF)
Taxi Diagram
      Auto Show Taxi: ON/OFF
      Show Taxi on Map: ON/OFF
Preferences
      Alerts
              Speak All Alerts: ON/OFF
              GENERAL
              500' AGL Alerts: ON/OFF
              Cabin Altitude Alerts: ON/OFF
              Transition altitude alerts: ON/OFF
              Runway Proximity Alerts: ON/OFF
              Runway Final Approach Alerts: ON/OFF
              Sink Rate Alerts: ON/OFF
              Terrain/Obstacle Alerts: ON/OFF
              Device Temperature Alerts: ON/OFF
              AIRSPACE & NOTAMS
              Airspace Alerts: ON/OFF
              Altitude Buffers:
                     TFRs:
                            500'
                            1000'
                            2000'
                            5000'
                     Airspace:
                            500'
                            1000'
                            2000'
                            5000'
              Airspace Alert Range:
                     2 minutes
                     3 minutes
                     5 minutes
                     1 nm
                     2 nm
                     3 nm
                     5 nm
                     10nm
              Airspace Alert Types:
                     Class A: ON/OFF
```

```
Class B: ON/OFF
               Class C: ON/OFF
               Class D: ON/OFF
               ATZ (Air Traffic Zone): ON/OFF
               MATZ (Military Air Traffic Zone): <u>ON/OFF</u>
               TMZ (Transponder Mandatory Zone): ON/OFF
       DEVICES
       Device Disconnect: ON/OFF
       Flight Plan Auto Update: ON/OFF
       Connected Portable Device Battery Low: ON/OFF
       ROUTE-BASED
       Destination WX Frequency Alerts: ON/OFF
       TRAFFIC
       Airborne Traffic Alerts: ON/OFF
       Traffic On Runway Alerts: ON/OFF
       Traffic on Short Final Alerts: ON/OFF
Units/Time
       Times:
               Local Time
               Station Time
               Zulu Time
       Wind Speed:
               Knots
               Miles Per Hour
               Meters Per Second
       Pressure:
               Inches of mercury
               hPa/Millibars
       Temperature:
               Automatic
               Celsius
               Fahrenheit
       Visibility:
               Miles (statute)
               Kilometers
       Coordinates:
               DD.dd<sup>O</sup>
               DD<sup>O</sup>MM.mm
               DD<sup>o</sup>MM'SS"
               MGRS, 6-digit (NNLSSeeennn)
               MGRS, 8-digit (NNLSSeeeennnn)
               MGRS, 10-digit (NNLSSeeeeennnnn)
       Aircraft Speed:
               Knots
               Miles Per Hour
               Kilometers Per Hour
```

```
Distance:
              Nautical Miles
              Miles (statute)
              Kilometers
       Altitude Instruments:
              Feet
              <u>Meters</u>
       Bearing and Track Instruments:
              Magnetic
              True
       Runway Length:
              <u>Feet</u>
              Meters
       Precip Amount:
              Automatic
              Inches
              Millimeters
Allow Device to Sleep: ON/OFF
Automatic Clock Check: ON/OFF
Enable Ownship:
       Always
       Never
       <u>Limited</u> (as per AC 120-76 – larger operators)
Ownship Not For Navigation: ON/OFF
Show Heliports: ON/OFF
Show Private Airports: ON/OFF
Start on Last Screen: ON/OFF
Sync Data To/From Device: ON/OFF
Enable Diagnostic Logs: ON/OFF
Performance Logging Level: 0
```